



De Witte S.A. was founded in 1989 and specializes in supplying quality products to distributors in automotive, food and industrial markets.

Several renowned manufacturers, such as Pro-Team (USA), Dosatron (FR) and Chapin Mfg (USA) have given us the rights to represent their product range.

Apart from that, we have established partnerships with manufacturers all over the world, whose products comply with the highest quality standards and are tested extensively before they are put on the European market.

Our products are exported to more than 20 countries and are sold by local professional distributors who care about their clients and the quality of their products, e.g. in Belgium, the Netherlands, Luxemburg, France, Germany, Italy, Spain, the United Kingdom, Norway, etc.

Our distributors can count on:

- Top quality products
- Punctual deliveries from stock
- Keen prices with attractive profit margins
- An excellent after sales service and ... a motivated team, always attentive to its customers.



# **TABLE OF CONTENTS**

	SPRAYERS
	SPRAYER ACCESSORIES
	FOAMING EQUIPMENT
	DOSATRON UNITS
	CAR, TRUCK AND BOAT CLEANING
	MICROFIBRES
Jon	ODOUR CONTROL
Ŀ	FLAT MOP SYSTEM
	HAND PUMPS
М	MISCELLANEOUS
J	PRINTING

### **OUR TEAM IS ALWAYS AT YOUR SERVICE**



**Dirk De Witte** Executive director dirk@dewitte.biz



**Isabelle Hylebos** Sales Benelux isabelle@dewitte.biz



Caroline Van Wiele Head of administration and sales support caroline@dewitte.biz

Nancy Van Marcke

Logistics

info@dewitte.biz





**Pierre Poncelet** Sales France & pierre@dewitte.biz



Sandrien Van Bauwel Logistics info@dewitte.biz



Maxime Ducoulombier Sales France maxime.duc@dewitte.biz



Peter Smith Sales Germany & UK. ps@cematco.com



**Ilse Scheerlinck** Sales Support sales@dewitte.biz







### CH2635E Pro-Matic 7.6 I



CH2636E Pro-Matic 11.4 I



CH2637E Resist 7.6 I



CH2637EP Resist Plus 7.6 I

Free extra multi-jet nozzle with 4 different jets:

•

- fanjet low flowfanjet high flow
- shower jet
- straight jet

4

### PRO-MATIC AND RESIST SPRAYER

Excellent resistance to aggressive and corrosive chemicals.

With Viton seals.

Trigger, lance and nozzle made of polyethylene.

Top quality pump with a high performance per stroke.

Ergonomic hand grip.

Nylon reinforced hose, extra long: 150 cm.

High density polyethylene tank.

Safety valve.

With shoulder straps (except the 3.8 I model).

Adjustable nozzle.

### RESIST PLUS SPRAYER

The Resist Plus has the same features as the Promatic Sprayers, but is equipped with a Super Lance. This Super Lance offers even more resistance to strong acids and alkaline based products.





### PREMIER SPRAYERS

Excellent resistance to aggressive and corrosive chemicals.

With Viton seals.

Trigger, lance and nozzle made of brass.

Top quality pump with a high performance per stroke.

Nylon reinforced hose, extra long: 150 cm.

High density polyethylene tank.

Safety valve.

With shoulder straps (except the 3.8 I model).

Adjustable nozzle.

Perfect for neutral cleaning agents, weak solvent and alkaline based products.



Refillable spray can that replaces traditional aerosol sprays. No CFC's, Freon or other potentially dangerous propellants. Uses only compressed air. No aerosol disposal problems. Pressurize with compressor or (foot) pump. Working pressure: 6-10 bar

Applications: oils, cleaning products, degreasers, disinfectants, deodorizers, lubricants etc.

Aero-Spray 200 and 500 ml: Supplied with 8 nozzles (2 x coarse, 2 x medium, 2 x regular, 2 x fine).

Aero-Spray 1000 ml: Supplied with 2 nozzles (1 cone nozzle and 1 pin stream nozzle). Not suitable for water based chemicals - only solvents.







CH21220 Premier Sprayer 7.6 l



CH21230 Premier Sprayer 11.4 I



300.100.100 Aero-Spray 200 ml







300.100.300 Aero-Spray 1000 ml

# sprayers





### 450.800.600 Professional Sprayer 6 I



### 450.800.000 Professional Sprayer inox 10 I

Spray-Master 211.100.100 5 I



211.100.200 Spray-Master 101 . . . . . . .



211.100.300 Spray-Master 10 I CA

### PROFESSIONAL SPRAYERS

Tank in Stainless Steel. With Viton seals.

Pistol, Lance and nozzle made of brass.

Brass pump with high output per pump stroke With pressure-gauge

Hose made of Reinforced Nylon.

With carrying strap.

Equipped with a pressurerelief valve.

Excellent resistance to solvents. Do not use for acids.

### **SPRAY-MASTER**

The professional's choice. Chemical resistant Viton seals.

Easy pump action for quick pressurizing (model 211.100.300 also has a compressed air connection)

2 nozzles supplied with every unit: 1 adjustable nozzle + 1 fanjet nozzle With 2 comfortable shoulder straps.

Max. pressure: 6 bar. Perfect for solvent based products. Do not use for acids.

ACCESSORIES: - "Dosi-Control" gun for

- constant working pressure (ref. 211.300.002)
- Anti-drip valve (ref. 211.300.003).
- Trolley (ref. 211.200.200)
- Spiral hose 5 m
- (ref. 211.300.004) Telescopic lance 2 x 1 m
- in brass (ref. 211.300.011)

(see page 8)







207.100.103 Spray-Matic 50 I



210.100.105 Spray-Matic 100 I



207.100.102 Spray-Matic 24 I



207.100.104 Spray-Matic 50 I

### SPRAY-MATIC STAINLESS STEEL

Pressurized with compressor.

- Equipped with: Stainless Steel tank
- Trolley
- Snap-on air connection Manometer
- Product level indicator
- Safety valve 10 m spiral hose
- 75 cm Stainless Steel
- lance (for 24 I model) and 90 cm (for 50 and 100 l model)

### Not suitable for strong acids.

Maximum pressure: 8 bar

Complies with European directive 97/23/CE

### SPRAY-MATIC PAINTED STEEL

Same features as the Spray-Matic in Stainless Steel, but with a painted steel tank instead of a Stainless Steel one.



# **BLACK & WHITE sprayers**

Our Black & White Sprayers combine a good resistance to chemicals with an attractive look and good value for money. It's the perfect sprayer for public services, agriculture, DIY stores, green spaces and gardens, wine production areas, farming, animal farming. The tanks are made of polyethylene and all

sprayers have chemically resistant Viton seals.



Black & White 1.5 L (white tank)

**BLACK & WHITE 1,5L** 

With VITON seals. Nozzle adjustable from mist to pin stream. 450,700.150 has a Polyethylene nozzle and 450,700.155 a brass one. Individually packed in plastic bag.



450.700.500 Black & White 5 L

450.700.700 Black & White 7 L

Black & White 1.5 L

(black tank)

### BLACK & WHITE 5 L AND 7L

With VITON seals. Nozzle adjustable from mist to pin stream. Shoulder straps. Safety valve.




### PROTECTION HOOD FOR BLACK & WHITE 5 L/7L

For targeted spraying. Made of polyethylene.

# 'S NEW

### BLACK & WHITE 15 L



450.400.100 Protection hood for Black & White 5/7 L

# Tex-Spray





ASK FOR OUR SPECIAL NET PRICE FOR 560 TEX-SPRAY + 560 GRADUATED BOTTLES

For the 1000 ml bottles (with 25 cm tube)

For the 600 ml bottles (with 17 cm tube) 605.100.100 Tex-Spray white/blue 605.100.200 Tex-Spray white/red 605.100.300 Tex-Spray white/green 605.100.400 Tex-Spray white/yellow 605.100.500 Tex-Spray white/white



Also works when you hold the bottle upside down.



605.500.100 Tex-Spray U.R.



605.600.100 Spray-Tube white/blue 605.600.200 Spray-Tube white/red 605.600.300 Spray-Tube white/green 605.600.400 Spray-Tube white/yellow

### **TEX-SPRAY**

Excellent resistance to aggressive and corrosive chemicals.

Nozzle adjustable from mist to pin stream.

Accessories: Ref. 605.200.200: Foaming nozzle Ref. 901.200.100: graduated bottle 600 ml Ref. 901.200.100: 1000 ml bottle.

### TEX-SPRAY U.R.

The ultra resistant Tex-Spray has the same characteristics as the ordinary Tex-Sprays and also works upside-down. But it's also super resistant to most of the aggressive acids bases and solvents. The absolute top in its category!

### SPRAY-TUBE

The Spray-Tube consists of a Tex-Spray spray nozzle, a 120 cm long flexible tube and a conical part that you have to put in the barrel opening. Used for spraying directly from a 5 or 10 l barrel. 605.400.100 Tex-Spray white/blue 605.400.200 Tex-Spray white/red 605.400.300 Tex-Spray white/green 605.400.400 Tex-Spray white/yellow 605.400.500 Tex-Spray white/white

### 600 ML BOTTLE

Fits all Tex-Sprays (ref. 605.100.100, 605.100.200, 605.100.300, 605.100.400 and 605.100.500).

600 ml polyethylene bottle with graduations and good resistance to aggressive products.

### 1000 ML BOTTLE

Good resistance to aggressive products.

Fits all Tex-Sprays with 25 cm tube (ref. 605.400.100, 605.400.200, 605.400.300, 605.400.400 and 605.400.500)

### WHITE CAP WITH SEAL FOR THE 600 AND 1000 ML BOTTLES

Perfect for transporting, delivering or storing product in our 600 or 1000 ml bottles without risk of spilling, leaking or evaporation.



901.200.100 600 ml bottle





901.200.191 White cap with seal for PE bottles





STARTING FROM 560 PCS WE PRINT YOUR LOGO AND COMPANY DETAILS ON OUR BOTTLES. MORE INFORMATION ON PAGE 26.

# sprayers



7

Spray-Matic 1.5 | grey EPDM

# \*\*

200.100.020 Spray-Matic 1 L Viton 200.100.000 Spray-Matic 1,6 L Viton



205.100.200 Clean-Boy spray 2.8 l



114.100.100 Fogger ES

### SPRAY-MATIC 1,5L

Professional hand sprayers fitted with different seals: Viton or EPDM. Nozzle adjustable from mist to

pin stream. Lever can be locked for continuous spray or safety position.

Filling content: 1,5 l. Total content : 2 l.

#### Accessories:

*Ref.* 901.300.400: *Foaming nozzle Ref.* 901.300.500: *Extension 20 cm* 

SPRAY-MATIC 1L AND 1,6L With chemical resistant Viton

Pump made from reinforced polyamide: suitable for most

Hand pump + compressed air

Very good resistance to chemicals (perfect for brake

CLEAN-BOY SPRAY Dilutes the product automatically with water. Overdosing or wastage is impossible. Needs no electricity. Simply connects to a water source. Generates a coarse spray. To use the gun for rinsing with just water, simply disconnect

the snap-on connector. Dilution is controlled by coloured metering tips of

This workhorse controls flies and other insects, sanitizes and disinfects, applies carpet mildew controls, and neutralizes odours, including flood and fire damage

4500 m<sup>3</sup> can be disinfected with

varying size.

FOGGER

restoration.

5 litres of product . Capacity: 5 l Particle size: 20-60 microns Maximum range: 6 m Weight: 3.5 kg

seals.

solvents.

connection.

cleaner).

### Sprayer accessories

605.200.200 FOAMING NOZZLE TEX-SPRAY 901.300.400 FOAMING NOZZLE SPRAY-MATIC 1.5 L 901.300.500 EXTENSION 20 CM SPRAY-MATIC 1.5 L 200.100.901 FOAMING NOZZLE SPRAY-MATIC 1.6 L 200.100.902 EXTENSION 30 CM SPRAY-MATIC 1.6L 999.100.100 FOAMING NOZZLE PRO-MATIC AND RESIST 900.100.600 SPRAY LANCE INOX 600 MM 900.100.750 SPRAY LANCE INOX 750 MM 900.100.900 SPRAY LANCE INOX 900 MM 420.100.100 SUPER LANCE 208.100.100 TELESCOPIC LANCE 2 X 0.6 M 208.100.200 TELESCOPIC LANCE 2 X 1.5 M 211.200.200 CART SPRAY-MASTER 211.300.002 DOSI-CONTROL SPRAY-MASTER 5 L 211.300.001 DOSI-CONTROL SPRAY-MASTER 10 L 211.300.003 ANTI-DRIP VALVE SPRAY-MASTER

211.300.011 TELESCOPIC LANCE BRASS 2 X 1 M SPRAY-MASTER

		001 200 500
605.200.200	901.300.400	901.300.500
		Contraction of the local division of the loc
200.100.901	200.100.902	999.100.100
. ~	. ~	. ~*
900.100.600	900.100.750	900.100.900
-	/	
420.100.100	208.100.100	208.100.200
/ /	Į.	
900.120.200	211.200.200	211.300.002
900.120.200	211.200.200	

# Foaming equipment



205.100.100 Clean-Boy foam 2.8 I

CH2637EM Resist 7.6 I foam

### Perfect for applying cleaning

products and disinfectants. Dilutes the product automatically with water. Overdosing or wastage is impossible.

CLEAN-BOY FOAM 2.8 L

Easily connects to a water source. Needs no electricity. Generates a thick and rich foam for longer contact time.

To use the gun for rinsing with just water, simply disconnect the snap-on connector.

Dilution is controlled by coloured metering tips of varying size.

### **RESIST FOAMER**

With chemical resistant seals. Very good resistance to aggressive and corrosive chemicals.

Solid container in polyethylene. Supplied with a special foaming nozzle.

Generates a thick and rich foam for longer contact time. Perfect for foaming smaller surfaces.

### FOAM-MATIC IN STAINLESS STEEL

Pressurized with compressor. Generates a thick and rich foam for longer contact.

Can be used as foaming units or spraying units, you only have to change the nozzle

Supplied with both a foaming nozzle and a spraying nozzle.

Equipped with :

24L

- Stainless Steel tank Trolley
- Mixing valve for air and product flow
- Pressure regulator
- Snap-on air connection Manometer
- Level indicator
- Safety valve
- 10 m hose
- Stainless steel spray lance 75 cm (for 24 I model) or 90 cm (for 50 and 100 l model).
- Spraying nozzle and foaming nozzle
- Not suitable for strong acids.

Maximum pressure: 8 bar Corresponds to European directive 97/23/CE.

### FOAM-MATIC **IN PAINTED STEEL**

Has the same features as the Foam-Matic in Stainless Steel, but with a painted steel tank instead of a Stainless Steel one.

Foamers produce a thick and rich foam.

NEW

TORNADOR FOAM

connection.

With compressed-air

Produces a very dry foam.













244.100.200 Tornador Foam Gun

207.200.101 Foam-Matic



207.200.103 Foam-Matic 50 L



210.200.105 Foam-Matic 100 L

# Dosatron dosing pumps



Dosatron installation



DOSATRON PROPOR-TIONAL DOSING PUMPS

Dosatron Dosing Pumps inject product concentrate into water and mix it.

Easy to connect to the water supply. No electricity needed.

Very accurate dosing, even when fluctuations in pressure and flow occur.

Pressure fluctuation

#### **PPLICATIONS**

Livestock: medication, supplements, disinfection
Hygiene: cleaning agents, disinfectants and odour control products
Car & Truck cleaning: cleaning products
Industry: coolants, cutting oil
Irrigation: fertilisers

### DOSATRON RANGE D25 2.5 M<sup>3</sup>/H

Water flow range: 10 l/h - 2.5 m<sup>3</sup>/h Operating pressure 0.3 - 6 bar

D25RE1500: 0.07 - 0.2 % D25RE2: 0.2 - 2 % D25RE5: 1 - 5 % D25RE10: 3 - 10 %

Available options: IE (external injection) - PVDF body

### DOSATRON RANGE DI 2.5 M<sup>3</sup>/H

Water flow range: 10 l/h - 2.5 m<sup>3</sup>/h Operating pressure: 0.3 - 6 bar

DI1500: 0.07 - 0.2 % DI16: 0.2 - 1.6 % DI150: 1 - 5 % DI110: 1 - 10 % DI520: 5 - 20 %

Available options: PVDF body - Hastelloy plunger rod

NEW

D3RE2 : 0.2 - 2 % D3RE5 : 0.5 - 5 % D3RE10 : 1 - 10 %

D3RE25 : 5 - 25 %

DOSATRON RANGE 3 M<sup>3</sup>/H

Water flow range:  $10 \text{ l/h} - 3 \text{ m}^3/\text{h}$ Operating pressure: 0.3 - 6 bar

Available options : PVDF body



Dosatron range D25 2.5 m<sup>3</sup>/h



Dosatron range DI 2.5 m<sup>3</sup>/h



Dosatron range 3 m<sup>3</sup>/h



Dosatron range 4.5 m<sup>3</sup>/h

### DOSATRON COMPACT RANGE 0.7 M<sup>3</sup>/H

Dosatron cross-section

Water flow range: 5 I - 0.7 m<sup>3</sup>/h Operating pressure: 0.3 - 6 bar

D07RE125: 0.15 - 1.25 % D07RE5: 0.8 - 5.5 %

Available options: PVDF body



### DOSATRON RANGE 1.5 M<sup>3</sup>/H

Water flow range: 10 l/h - 1.5 m<sup>3</sup>/h Operating pressure: 0.5 - 5 bar

D100R: 0.5 - 0.8 - 1 % D200RE: 0.2 - 2 % D400RE: 0.5 - 4 % D310RE: 3 - 10 %

Available options: IE (external product injection) - PVDF body

Dosatron range 1.5 m³/h



Dosatron range 1.5 m<sup>3</sup>/h

**DOSATRON RANGE** 4.5 M<sup>3</sup>/H Water flow range : 100 l/h – 4.5 m<sup>3</sup>/h Operating pressure : 0.5 – 5 bar

D45RE3000 : 0.03 - 0.1 % D45RE1.5 : 0.2 - 1.5 % D45RE3 : 0.5 - 3 % D45RE8 : 3 - 8 %

Available options : IE (external product injection) - PVDF body

# Dosatron dosing pumps

**Dosing system accessories** 

### **DOSATRON RANGE** 8 M<sup>3</sup>/H

Water flow range: 500 l/h - 8 m<sup>3</sup>/h Operating pressure 0.15 - 8 bar

D8R: 0.2 - 2 % D8R150: 1 - 5 %

Available options:

### **DOSATRON RANGE** 20 M<sup>3</sup>/H

Water flow range: 1 m3 - 20 m<sup>3</sup>/h Operating pressure: 0.12 - 10 bar

D20S: 0.2 - 2%

Available options:

Dosatron range 8 m<sup>3</sup>/h



### DSAACP 20 M HOSE WITH WATER SAVING GUN AND SNAP-ON CONNECTIONS

DSAACQ 20 M HOSE AND SPRAYING LANCE

### DOSATRON OPTION FOR AGGRESSIVE PRODUCTS

Dosatron PVDF housing Dosatron IE

The external injection allows dosing of certain corrosive

The PVDF housing is resistant to aggressive and corrosive

Hastelloy plungers and springs can withstand the most corrosive of liquids (acids, chlorine) in a high



Dosatron range







100.600.XXX HYGIENE UNITS

## 801.500.500 BACKFLOW PREVENTOR



Dosatron PVDF





### 411.200.400 WATER FILTER 80 MICRON 1 1/4" NYLON



# 🚑 car, truck & boat









244.500.101 Stainless steel nozzle



244.500.900 Nozzle with brush

### TORNADOR

The "TORNADOR-GUN" is the first compressed-air cleaning gun with a dis-

Use only the high-pressure air for dusting, or with water/cleaning liquid in the dispenser for cleaning. The ,tornado effect" releases dirt particles with great force from the surface to be treated.

Perfect for cleaning car interiors, dashboards, ventilation ducts, the space between car seats, car seat tracks, around fuel tank, licence plate numbers, the gear box and hand brake, storage spaces.

Astonishing results on car seat covers and carpets.

The Tornador Cleaning Gun works with a traditional universal cleaner, but also with special cleaning agents such as degreasers, nicotine remover etc.

### NEW

### STAINLESS STEEL NOZZLE

This nozzle is covered with a stainless steel coat on the When used intensively, it

offers a much longer service life than the standard plastic

### NEW

### NOZZLE WITH BRUSH

This nozzle is equipped with a brush that removes the dirt more efficiently.

It's mounted on the Tornador instead of the standard plastic nozzle.

### **PVA CHAMOIS LEATHER**

The Absorb-All is an ultra absorbent PVA based synthetic chamois, reinforced with a polymer fibre fabric for super strength durability.

Its three-dimensional structure (comparable to a natural sea sponge) will not damage the most delicate finishes or surfaces. Wrings out more easily than traditional towels or natural chamois. Perfect nonstreak drying. Absorbs up to 5 times its own weight in water. Lint free. Resistant to most chemicals, grease and oil. Lasts longer than natural chamois and other synthetic products. Machine washable at 70° C. Delivered in a sealed case. Perfect for cleaning and drying vehicles, boats, shop windows, bodywork of cars, bathrooms, etc









465.100.200 Absorb-All 430 x 680 mm



# car, truck & boat 🔛





301.100.102 California Car Duster with wooden handle



301.100.101 California Car Duster with plastic handle



301.100.105 California Mini Duster

NEW

. . . . . . . . . . . .

### **CAR DUSTERS**

Remove dust and surface dirt with a quick once-over. Proven technology of baking a special wax on fine 100 % soft cotton strands ensure that dust is lifted and removed, not just pushed around. The specially treated strands don't scratch, not even on the most delicate surfaces. Last for years and years. Don't need cleaning or "retreating" with wax. The dirtier they get, the better they work

### The "Car Dusters" offer the perfect solution for cleaning cars in showrooms The "Mini Duster" has the same features as the California Car Duster, but is mostly used for cleaning and removing dust from computure, worktables, motorbikes,

Its unique, compact wedgeshaped design easily accesses hard-to-reach areas.

### WATER-BLADES

For drying any type of vehicle very quickly.

Dries vehicles 3 times faster than towels or chamois.

Soft silicone will not scratch. The flexible silicone blade moulds itself to almost any contour.

Excellent on other surfaces too: mirrors, windows, shower walls, tiles.

The Water Blades 1 blade and 3 blades fit on our telescopic handles an can be used for high-sided vehicles.



600.300.450 Mini Water Blad



480.100.099 Water Blade 1 blade





The 1 and 3 blade water blades can be mounted on our PRO and MI-PRO handles.

### WATERPROOF



206.250.250 Washing glove waterproof

POLYWOOL

Very soft and absorbent fibres. Excellent results for wet cleaning.

For Microfibre washing gloves: see chapter "Microfibres".



201.100.300 Washing Glove Polywool

ALSO CHECK OUT OUR OTHER WASHING GLOVES ON PAGE 19.





480.400.102 Budget Duster



## WASHING GLOVE

Absorbs a huge amount of Keeps the hand dry and warm. Very soft: doesn't scratch paint.

WASHING GLOVE

# car, truck & boat



• 600.000.001: DUO Brush 25 cm PRO 600.000.004: DUO Brush 33 cm PRO

# 

600.000.009 QUADRO Brush 25 cm PRO



602.000.001 DUO Brush 25 cm ANTEX



600.000.002 DIP Brush 25 cm



600.000.005 Car cleaning Brush 600.000.006 Wheel Brush

### **DUO BRUSHES**

This brush consists of 2 parts that are connected seamlessly in a 30° angle. The bilevel shape ensures maximum contact with the surface and gives a faster and more thorough cleaning result.

More than 50000 fibres per brush make the DUO a long lasting brush.

The feathered fibres of the DUO brush create a very soft, dense surface that won't scratch delicate surfaces on vehicles. Very good resistance to che-

### QUADRO BRUSH

Has the same features as the DUO Brushes above, but 4 sides of the polypropylene block have fibres, so the block itself can't scratch or damage your car or truck.

### DUO BRUSH 25 CM ANTEX

Has the same features as the DUO Brushes above.

But has in addition an: excellent resistance to high temperatures (> 100° C) excellent resistance to aggressive chemicals.

### **DIP BRUSH 25 CM**

More than 50 000 fibres per brush make the DIP a long lasting brush. The feathered fibres of the DIP brush create a very soft, dense surface, that won't scratch delicate surfaces on vehicles.

Very good resistance to chemicals. Rubber protective trim.

### CAR CLEANING BRUSH WHEEL BRUSH

More than 20 000 fibres per brush guarantee a long lasting brush. The feathered fibres of the DIP brush create a very soft, dense surface, that won't scratch delicate surfaces on vehicles. Very good resistance to chemicals.



for Quadro/Duo brushes



NEW

600.900.115 Display Carton for DIP brushes

These cartons are really eye-catching and ideal for your shop or showroom. Perfect for an 'Impulse Sale' of brushes or the combination of a brush+handle (our handles can be mounted on the brushes through the carton)

### DIP BRUSH DELUXE 25 CM

Heavy density: more than 50 000 very soft fibres per brush. Good chemical resistance. Four sides have fibres, ensuring scratch-free washing.

### DUO BRUSH MEDIUM HARD FIBRES

For tarpaulins, Stainless Steel tanks and machines, floors and walls ...



For public services, house facades, walls and floors...

### **DIP BRUSH HARD FIBRES**

For ship decks, public services, house facades, walls and floors...Rubber protective trim.

### SQUEEGEE AND WASHER

Fits on all our PRO and MI-PRO handles.

Perfect for drying trucks, windows of cars and buildings.

2 in 1: Squeegee and washer are mounted on the same handle to save time (20 % faster).

Has a comfortable handgrip, so can be used without a long handle.



600.000.011 DIP brush DELUXE 25 Cm



600.000.015 DUO Brush medium hard fibres





600.000.007 DUO Brush hard fibres

600.000.008 DIP Brush hard fibres



600.300.300 Squeegee and Washer 30 cm 600.300.400 Squeegee and Washer 40 cm

14

# car, truck & boat





### TELESCOPIC FIBRE GLASS HANDLES PRO

The new "PRO" handles have an upper telescopic part in very thick aluminium (25 mm) and a lower part in fibre glass (32 mm).

Will not bend, even under high pressure. More solid than traditional aluminium handles.

The threaded metallic tip fits on DUO brushes, QUADRO brush, DIP brushes, Water Blades and Squeegees & Washers.

#### ALUMINIUM TELESCOPIC HANDLES PRO WITH WATER FLOW

Have the same features as the fibre glass telescopic handles PRO (see above). Two parts made from aluminium. With snap-on coupling to connect hose and on/off switch for regulating the water flow

### ALUMINIUM TELESCOPIC HANDLE MI-PRO WITH WATER FLOW

With snap-on coupling to connect hose and on/off switch for regulating the water flow. Fits on DUO brushes, QUAD-RO brush, DIP brushes, Water Blades and Squeegees & Washers. Upper handle has rubber trim.

### FIBRE GLASS HANDLE 140 CM

Extremely solid. Fits on DUO brushes, QUAD-RO brush, DIP brushes, Water Blades and Squeegees & Washers.

### ALUMINIUM HANDLE

Extremely solid. With snap-on coupling to connect hose and on/off switch for regulating the water

Fits on DUO brushes, QUAD-RO brush, DIP brushes, Water Blades and Squeegees & Washers.



The feathered fibres of this brush create a very soft, dens surface, that won't scratch del cate surfaces on vehicles. Heavy density (more than 50 000 fibres) for maximum durability. Block in polypropylene. Excellent resistance to acids.

can be used with a wooden pole or our aluminium telescop handles (ref. 122.555.101,

### TELESCOPIC HANDLE

With cone end. Fits on Truck brushes 119.100.002 and 119.100.004.

### CAR BRUSH POLYESTER

The feathered fibres of the Ca brush create a very soft, dense surface, that won't scratch delicate surfaces on vehicles.

Heavy density (more than 20 000 fibres) makes the Car Brush a long lasting brush. Block in polypropylene.

### CAR CLEANING BRUSH WITH WATER TANK

Built in water tank holds wate to save time. Cleans one side of car in one go. Polypropylene body. Featthered soft fibres.





119.100.002 Truck brush polyester pp 25 cm 119.100.004 Truck brush polyester pp 35 cm





119.100.005 Car brush polyester



225.100.100 Car cleaning brush with water tank






# Microfibres



Microfibre is causing a stir in the cleaning industry. It's quickly becoming the cleaning and polishing fabric of choice in daily cleaning. Microfibre is a superior, chemical free textile that is made from polyester and polyamide. The thickness of Microfibre is finer than 1/100 of a human hair.

It can be used dry or slightly dampened with water. Used dry it attracts dust and dirt like a magnet. It can absorb up to 7 times its weight in water. The high density of fibres results in a fabric that cleans more thoroughly than traditional cloths.

Microfibre cloths are not only very soft, but also perfect for cleaning the most delicate surfaces; they are extremely strong and are durable enough to withstand over 250 washings. Many people believe that Microfibre products will become the leading cleaning product of the 21st century.



# Microfibres 🧹





601.100.005 Tricot Luxe 32 x 30 cm yellow 601.100.006 Tricot Luxe 32 x 30 cm green 601.100.007 Tricot Luxe 32 x 30 cm pink 601.100.008 Tricot Luxe 32 x 30 cm blue

601.100.001 Tricot Luxe 40 x 40 cm vellow 601.100.002 Tricot Luxe 40 x 40 cm green 601.100.003 Tricot Luxe 40 x 40 cm pink 601.100.004 Tricot Luxe 40 x 40 cm blue 601.100.060 Tricot Luxe 40 x 40 cm orange



601.200.001 Tricot Class 40 x 40 cm yellow 601.200.002 Tricot Class 40 x 40 cm green 601,200,003 Tricot Class 40 x 40 cm pink 601.200.004 Tricot Class 40 x 40 cm blue

### TRICOT LUXE

Very thick and absorbent woven terry cloth. Excellent cleaning qualities. Applications: floors, ovens, cars, industrial cleaning,. Available as cleaning cloth and floorcloth 320 gsm 70% polyester/ 30% polyamide

601.100.009 Tricot Luxe 40 x 80 cm yellow 601.100.010 Tricot Luxe 40 x 80 cm green 601.100.011 Tricot Luxe 40 x 80 cm pink 601.100.012 Tricot Luxe 40 x 80 cm blue

601.100.013 Tricot Luxe 60 x 70 cm vellow 601.100.014 Tricot Luxe 60 x 70 cm green 601.100.015 Tricot Luxe 60 x 70 cm pink 601.100.016 Tricot Luxe 60 x 70 cm blue 601.100.017 Tricot Luxe 60 x 70 cm orange

### TRICOT CLASS

Knit terry cloth for traditional cleaning jobs, dry or dampened with water or cleaning agent.

Excellent cleaning qualities, used wet or dry.

Applications: furniture, glass, ovens, mirrors, kitchen, leather, jewellery, cars, bathrooms .

Available as cleaning cloth

310 gsm

70% polyester/ 30% polyamide

### TRICOT-STAR

TRICOT SOFT

soft knit terry cloth.

70 % Polyester - 30 %

Super soft and absorbent. Excellent for dusting, polishing

Applications: furniture, glass,

ovens, mirrors, kitchens, leather, jewellery, cars, bathrooms

70 % polyester/30 % polyamide

Polyamide

290 gsm.

**TISSÉ-LUXE** 

and waxing.

210 gsm


Excellent cleaning qualities.

Very thick, absorbent and very

Applications: car cleaning, delicate surfaces, furniture, desks, hotel rooms, kitchen,

NEW

Same characteristics as the Tricot Class, but 260 gsm instead of 310 gsm.



615.200.001 Tricot-Star 40 x 40 cm yellow 615.200.002 Tricot-Star 40 x 40 cm green 615.200.003 Tricot-Star 40 x 40 cm pink 615.200.004 Tricot-Star 40 x 40 cm blue



615.200.111 Tricot Soft 40 x 40 cm yellow 615.200.112 Tricot Soft 40 x 40 cm green 615.200.113 Tricot Soft 40 x 40 cm fuchsia 615.200.114 Tricot Soft 40 x 40 cm blue



601.300.001 Tissé-Luxe 40 x 40 cm yellow 601.300.002 Tissé-Luxe 40 x 40 cm green 601.300.003 Tissé-Luxe 40 x 40 cm pink 601.300.004 Tissé-Luxe 40 x 40 cm blue





# Microfibres



15.200.117 Microfibre cloth BLACK 40 x 40 cm



615.500.263 Microfibre cloth Tricot Laser Auto 40 x 40 cm cherry red 615.500.264 Microfibre cloth Tricot Laser Auto 40 x 40 cm blue 615.500.361 Microfibre cloth Tricot Laser PRO 38 x 38 cm yellow 615.500.362 Microfibre cloth Tricot Laser PRO 38 x 38 cm green 615.500.364 Microfibre cloth Tricot Laser PRO 38 x 38 cm red 615.500.364 Microfibre cloth Tricot Laser PRO 38 x 38 cm blue



The label of the Tricot Laser can be removed easily.



615.200.214 Tricot First 40 x 40 cm blue 615.200.264 Tricot First 40 x 60 cm cobalt 615.200.274 Tricot First 50 x 60 cm cobalt



615.300.020 Quadri 50 x 60 cm blue 615.300.012 Quadri 40 x 80 cm blue

### BLACK MICROFIBRE

Cloth can be used wet or dry. Specially made for the automobile industry. This cleaning cloth will impress even the most demanding of customers, with its softness and looks. Applications: car cleaning, delicate surfaces, furniture, desks, hotel rooms, kitchen, ... 70 % Polyester 30 % Polyamide

290 gsm.

### NEW

### TRICOT LASER

Applications: Especially designed for the car industry, car-washes and auto body repair industry.

This laser cut microfibre cloth has no seam or label with washing instructions which eliminates the risk of scratching. Very thick and superabsorbent microfibre cloth.

Maximum absorption: Tricot Laser Auto 320 gsm Tricot Laser PRO 300 gsm

Composition: 70 % Polyester 30 % Polyamide

### NEW

### TRICOT FIRST

budget priced universal quality-microfibre cloth. Available a cleaning cloth and floor cloth. 200 gsm 70 % polyester 30 % polyamide

#### QUADRI

Very resistant floorcloth at a mini-price. Excellent results on smooth floors: tiles, parquet, linoleum... Very absorbent and long-lasting. Easy to wring out and wash. 320 gsm

#### **TOP-GLASS**

Perfect for windows and glass. Doesn't leave any streaks. Can be used with water or glass cleaner. Long lasting and doesn't lint.

70 % polyester/ 30 % polyamide. 320 gsm.



601.400.004 Top-Glass 40 x 40 cm blue 601.400.002 Top-Glass 40 x 40 cm green 601.400.010 Maxi-Glass 55 x 63 cm green

### TOP-SCREEN NEW For all smooth surfaces such as glass, marble, aluminium, Stainless Steel etc. Perfect for windows, glasses, white boards, computer screens... Doesn't lint. Printed washing instructions

70 % polyester 30 % polyamide. 220 gsm.

instead of stitched label.

Individually packed in a plastic bag.

### METALIK

Perfect for industrial use or in garages.

The squared texture of the "Metalik" deals effectively with grease, oil and tough dirt. Can be used for cleaning hands, tools or small spare parts.

Its dark grey colour is specially chosen to handle the dirtiest jobs.

70% polyester/30% polyamide

230 gsm.

### **TEA TOWEL**

Ideal product for horeca. Perfect for drying glasses and dishes in bars, restaurants, hotels, kitchens... 70 % polyester/ 30 % polyamide


230 gsm.

### **OPTIC CLOTHS**

Perfect for cleaning spectacles. Packing: 5 per bag (clear plastic)



615.500.014 Top-Screen 40 x 50 cm blue



• 615.500.115 Metalik 40 x 75 cm grey





615.500.120 Tea Towel 40 x 75 cm orange 615.500.122 Tea Towel 40 x 75 cm green



615.520.036 Microfibre optic cloth 15 x 20 cm bleu



18

SPONGE CLOTH

320 gsm.

CLOTH

Scouring cloth

with 2 different sides: - The scouring side can be

safely used on sinks,

frying pans, bath tubs

The soft side is suitable for

The FAVOURITE cleaning

cloth of the hotel industry

(hotels, restaurants, pubs)

and replaces the traditional

steel wool pads perfectly.

Can be machine washed

SCRUBBING SPONGE

Made of a very effective mix

fragile sauce pans and frying pans, removing lime scale from showers and bath tubs.

of microfibres and a scrub-

Perfect for kitchen sinks,

bing ingredient.

many times at 70° C

shower walls etc.

kitchen worktops and sinks.

Perfect for the kitchen and bathroom.

With an integrated sponge.

70% polyester/30% polyamide.

MICROFIBRE SCOURING

# Microfibres





615.520.126 Microfibre Scouring cloth 28 x 28 cm



615.520.124 Scrubbing sponge



**MICROFIBRE SPONGE** 

One side in soft microfibre, the other side has a "net" scrubbing surface ideal for cleaning insects off the windscreen etc.



### DUSTING GLOVE "ELEGANT"

Perfect for dusting all types of surfaces: furniture, offices, computer, dashboards,... Can be used wet and dry.



380.200.200 Microfibre Dusting glove Elegant blue

380.200.201 Microfibre Dusting glove Elegant red



480.400.200 Washing glove Microfibre "Bluenet"

### WASHING GLOVE "BOB-MARLEY"

WASHING GLOVE

Excellent for dry and wet clea-

The Microfibres guarantee

very thorough cleaning and

"BLUENET'

ning.

polishing.

Excellent for dry and wet cleaning. The Microfibres guarantee thorough cleaning and polishing. Luxurious finish.

MICROFIBRE WASHING

Excellent for dry and wet

The smooth side is perfect

The back is perfect for dus-

ting and wiping.

for cleaning windows and

**GLOVE RASTA** 

cleaning.

cars.

THE FIRST 2 IN 1 WASHING GLOVE.



460.100.100 Washing glove Microfibre "Bob-Marley"



We can print your company logo on this washing glove, see page 26



460.100.200 Washing glove Microfibre Rasta blue 460.100.201 Washing glove Microfibre Rasta green 460.100.202 Washing glove Microfibre Rasta violet 460.100.203 Washing glove Microfibre Rasta orange

# Microfibres



377.100.001 Non Woven Microfibre cloths 40 x 38 cm yellow (5 pieces) 377.100.002 Non Woven Microfibre cloths 40 x 38 cm green (5 pieces) 377.100.003 Non Woven Microfibre cloths 40 x 38 cm red (5 pieces) 377.100.004 Non Woven Microfibre cloths 40 x 38 cm blue (5 pieces)



615.200.083 ANTI-BACT 40 x 40 cm red

ANTI-BACT conventional recreifure of



615.900.904 Kitchen Kit

### ANTI-BACT NEW

NON WOVEN MICROFIBRE CLOTHS

The star shaped structure of the microfilaments guarantees amazing results.

70 % polyester/ 30 % polyamide. 130 gsm. Packing: 5 per bag (clean plastic).

Many applications: glass and windows, Stainless Steel, enamel, wood, body-work of cars...

Composition: knitted cloth 70% Polyester - 30% Polyamide - 320 gsm Prevents bacteria from growing/ spreading in microfibre cloths: as used in hospitals, nursing homes, canteen kitchens etc.

The microscopic silver particles knitted between the microfibres prevent the growth of bacteria. Certificate with scientific test results available on request.

### KITCHEN KIT

This Kitchen Kit is especially assembled for cafés, restaurants, hotels and kitchens of companies that are active in the food industry.

Contents

- 1 x Metalik microfibre cloth, perfect for drying glasses
- 1 x Tricot Luxe orange microfibre cloth, the top of our product range, multiple use.
- 1 x microfibre scouring cloth, with one soft side and one scouring side
  1 x Microfibre scouring sponge.

Packed nicely in a plastic transparent bag.

### FLEXI-DUSTER

Used dry, it attracts the finest and most persistent dust particles. Used wet, it cleans thoroughly in the deepest pores of the surface. Soft on every surface. Eliminates dirt and grease easily. Extremely low linting. High tear resistance. Absorbs 4 times its own weight in liquids. Very fast drying time. Can be machine washed many times.

Perfect for cleaning in hardto-reach spaces, such as: top of shelves, behind radiator, underneath the fridge, around pipes, ceilings etc. The Flexi-Duster can be bent into any position and straightened again. The removable microfibre sleeve attracts dust like a magnet and guarantees a perfect result. For cleaning even higher places, you can fix the duster to our telescopic handles 2 x 0.9 m (ref. 480.400.300) and 3 x 0.6 m (ref. 480.400.330)



480.400.109 Flexi-Duster 480.400.110 Microfibre sleeve for Flexi-Duster



STARTING FROM 1000 PCS WE PRINT YOUR LOGO AND COMPANY DETAILS ON OUR MICROFIBRES.

MORE INFORMATION ON PAGE 26.





ON REQUEST WE CAN PACK AND PERSONALI-SE YOUR MICROFIBRE CLOTHS WITH AN INLAY OR LABEL

MICRO-FIBRES IN INDIVIDUAL PACKING IS ALSO POSSIBLE BAGS WITH 1 - 2 - 3 - 4 OR 5 CLOTHS. PLEASE CONTACT US FOR MORE INFORMATION.

# **Odour control**

### WHAT'S OZONE?

Have you noticed how pure and fresh the air is after a storm? This pleasant effect, one of the daily wonders of nature, is reproduced by the unique corona discharge tube in our odour control appliances "Biozone", "Germazap" and "Mini Envirozone".

They convert oxygen into active oxygen (ozone) which sterilises the air by destroying bacteria and odour molecules. Ozone has a life of about 35 minutes and is automatically converted back to oxygen.

Compared with other systems that only mask odours, ozone gets down to the root of the problem in order to destroy the bad smells for ever.

Because it's a gas, ozone penetrates deep into hard-to-reach spaces.


Our appliances are portable, compact and very well manufactured. A standard 240 V socket is all you need to deal with any odour (and bacterial) problem.

The Mini-Envirozone, New Germazap and Biozone eliminate bad odours permanently.

They neutralise odours from tobacco, pets, fast food, paint, urine, meat, fish, smoke and fire, chlorine, etc

They also destroy bacteria and reduce their growth. No expensive labour cost.

Once switched on the unit works independently and ensures an odourless and sterile atmosphere.



The ozone molecule consists of 3 oxygen atoms. The chemical formula for ozone is  $O_3$ .

### BIOZONE

#### Ideal applications:

Car hire and dealers: pet and cigarette smells may put a potential buyer off. After using the Biozone, the cars smell like new again. It's also perfect for buses, lorries, caravans and refrigerated vehicles.

Hotels: the contemporary demanding customer doesn't accept fusty or unpleasant smelling hotel rooms anymore. With Biozone, hotelrooms always smell fresh.

Fire damage restoration. Slaughterhouses, Meat and Fish processing plants. Chemical and pharmaceutical Industry. Mortuaries and rubbish containers. Sterilisation of ventilation ducts, etc.

bacterial disinfection of meat and lish processing plants.

ket. Do not enter a room where the Biozone is working. Activation and

shut down is set by an integrated time clock. Housing: Stainless Steel Coverage area: 700 m<sup>3</sup>

### MINI-ENVIROZONE NEW GERMAZAP

#### Ideal applications:

All meat and fish processing plants. Offices, meeting rooms, doctors' and dentists' reception and waiting rooms, showrooms. Hotels and restaurants. Rest rooms and launderettes. Hospitals, nursing and care homes. Fitness and leisure centres. Chemical plants etc. Hairdressers and beauty salons. Vets and pet shops.

Coverage area of the Mini-Envirozone: 90  $m^{\scriptscriptstyle 3}$  Coverage area of the New Germazap: 160  $m^{\scriptscriptstyle 3}$ 



• 203.100.203 NEW GERMAZAP

203.100.204 MINI-ENVIROZONE

# Flat Mop System



480.200.220 Mop frame DELUXE 40 cm 480.200.221 Mop frame DELUXE 50 cm



480.400.300 Telescopic handle aluminium 2 x 0.9 m

. . . . . . . . . . . . . . . . . . . .

### 480.400.330 Telescopic handle 3 x 0.6 m $\,$



480.400.298 Handle aluminium 140 cm



209.100.300 Ergo-bend



480.200.250 Sponge pad 40 cm

### MOP FRAME ALUMINIUM DELUXE

The DELUXE model has an extra solid construction.

Locking mechanism for cleaning walls and ceillings.

Integrated cloth holders. Glued on velcro to hold the mops.

### TELESCOPIC HANDLE ALUMINIUM 2 X 0.9 M

Solid construction. For our mop frames 480.200.220, 480.200.221 and Rakleto 130.100.100. Perfect for all users, tall and short.

### TELESCOPIC HANDLE ALUMINIUM 3 X 0.6 M

Solid construction. For our mop frames 480.200.220, 480.200.221 and Rakleto 130.100.100. Perfect for all users, tall and short. Not expanded is it only 70 cm. Very Handy to send by mail or courier service.

### ALUMINIUM HANDLE 140 CM

For our mop frames 480.200.220 and 480.200.221 + Rakleto

### ERGO-BEND

Fits perfectly on our telescopic handle 600.900.100 and our mop frames.

Easily reaches underneath and on top of furniture.

### SPONGE PAD 40 CM

Dimensions: 10 x 40 cm. For use with disposable wipes on our mop frames.

601.500.002 Microfibre mop 44 x 13 cm blue 601.500.004 Microfibre mop 60 x 13 cm blue

601.500.001 Microfibre mop 44 x 13 cm white

601.500.003 Microfibre mop 60 x 13 cm white



601.500.010 Microfibre mop 44 x 13 cm blue PC

### MICROFIBRE MOP PERFECT FOR WOODEN FLOORS

Excellent results for dry and slightly damp mopping. The softness of the fibres make it ideal for tiles, linoleum, marble and parquet floors. With Velcro system. Very hard-wearing.

### MICROFIBRE MOP

### HIGH ABSORBING AND CLEANING CAPACITIES

Excellent results for moist and wet mopping. The absorbent fibres are perfect for tiles, linoleum, marble and parquet floors ... With Velcro system. Very hard-wearing.

### MICROFIBRE MOP SUPER RESISTANT

Has the same characteristics as the mops above, but is super resistant. Excellent results from moist and wet mopping.



22



# Flat Mop System



615.530.001 Presto 46 x 11 cm



615.530.002 Rapido 46 x 11 cm

### PRESTO AND RAPIDO DISPOSABLE MOP

White microfibre-Mops. For efficient cleaning in the home and office.

Disposable (for the medical industry) or can be washed up to 5 times at 60°.

Easily attached to the Velcro on the mop frame. The presto also has wings that can be attached to the holes on the top of the mop frames.

Works perfectly: dry, with water or with a cleaning agent or disinfectant.



130.100.100 Rakleto



615.400.004 Waffled Cloth 55 x 27 cm blue



### RAKLETO

The NEW RAKLETO SYSTEM consists of a handle, a special waffled cloth (ref. 615.400.004) and the Rakleto squeegee made of tough foam rubber.

This very solid and simple system is also the most economic, because in one cleaning operation, the cloth can be used five times.

To be used with our aluminium telescopic handles 2 x 0,9 m (ref. 480.400.300), 3 x 0.6 m (ref. 480.400.330) or aluminium handle 140 cm (ref. 480.400.298).

The texture of this new MOP cloth literally scrapes off the encrusted dirt from the floor. Machine-washable more than 100 times at 60° C.

Perfect for dry and wet cleaning.

The most economic of all cleaning systems.



The microfibre fringes give an excellent cleaning result, used wet or dry.

With Velcro-system. Fits on our Aluminium Mop Frames Deluxe.



460.200.200 Mop Rasta 44 x 13 cm blue 460.200.202 Mop Rasta 44 x 13 cm violet



### MOP WITH SCOURING STRIPS

This mop has special strips made of a scouring ingredient for more cleaning power. Excellent cleaning result used moist and wet. The absorbent fibres work perfectly on tile floors, linoleum, marble and parquet floors. With Velcro-system. Fits on our Aluminium Mop Frames Deluxe. Lang service life.

### CLEAN & GO SPORTS BAG

This Clean & Go sports bag is perfect for the cleaning personnel who go from place to place all day long. It has lots of space for storing all kinds of cleaning equipment, even our very compact telescopic handle 3 x 0.6 m.

Dimensions : 77 L x 40 B x 29 cm H With 3 extra compartments. With 2 carrying straps + shoulder strap. Can be integrated perfectly into promotions.



CONTENTS OF THE SPORTS BAG ARE NOT INCLUDE UN HE PROF.

500.100.100 Clean & Go sports bag

# Syphon pump

SYPHON PUMP

POLYETHYLENE



802.100.100 Syphon pump polyethylene



802.100.105 Syphon pump in polyethylene small model



802.100.200 Lever action drum pump polypropylene



802.100.300 Lever action drum pump ryton



121.400.400 Adaptor syphon pump black

### DRUM PUMP POLYPROPYLENE

SYPHON PUMP IN

MODEL

POLYETHYLENE SMALL

Applications: Water, alcohol, diesel, lubricants, acids & alkalis

Material: Polypropylene and Stainless Steel 316. Suitable for barrels from 25 to 200 litres. Comes with telescopic tube + extension.

rum pump Polypropylene

### DRUM PUMP RYTON

applications: Solvents, acids a alkalis in high concentration.

Material: Ryton and Stainless Steel 316.

Suitable for barrels from 25 to 200 litres.

Comes with telescopic tube + extension.

Frum pump Ryton

### ADAPTOR FOR PLASTIC BARRELS

-its on syphon pump and ever action drum pumps. Other adaptors on reques

### POWER PUMP

This Power Pump is the easiest way to transfer a fluid from one reservoir to another.

You only have to immerge the end of the hose into the fluid and shake it up and down a few times. Thanks to the self-priming valve the fluid starts to run automatically. (the outlet has to be placed lower than the barrel from which you want to transfer the fluid).

Works with almost all kinds of fluids: water, petrol, diesel, insecticides, fertilisers, solvents, cleaning agents ...

Flow rate: 12 l/minute.

### This pump can be used for various applications :

To tranfer petrol/diesel into the tank of your car, van, boat, motorbike, jet ski, lawn mower etc.

To empty toilets and sinks, aquariums, Jacuzzis, swimming pools, car radiators  $\ldots$ 

To decant beer or whine.

To fill up water tanks of motor homes.


To empty or fill storage tanks.

To transfer cleaning agents or disinfectants.

#### Benefits of the Power Pump

Safety: you don't have to suck the product into the hose with your mouth and you don't have to carry heavy barrels or containers anymore. Saves your back and avoids breathing in chemical or petrol fumes. Besides that, there's no more contact with the product itself. The Power Pump makes a direct connection between the 2 reservoirs.

Power saving: no need for Electricity or any other energy source. The Power Pump is always already to be used. Product saving: compared to a manual transfer (possibly using a hopper) the Power Pump does the job without spilling.



# Miscellaneous





207.500.500 Hand wringer



803.100.100 Water saving gun brass



803.100.102 Water saving gun Stainless Steel



803.100.200 Gun coupling 1/2" 803.100.201 Hose coupling 1/2" diam. 13 mm

122.400.400 Wall hanger with 3 clips

### HAND WRINGER

Solid steel frame. Auto lubricating : never needs oil

4 springs to adjust pressure Wall mounted.

Dimensions: 58 x 30 x 23 cm

### WATER SAVING GUN

The ideal low pressure gun for industrial and food related cleaning

Flow adjustable from a fine mist to a concentrated jet.

EPDM casing protects against shocks and hot or cold temperatures.

Extremely sturdy brass (ref. 803.100.100) or Stainless Steel (803.100.102) construction.

Reduces water consumption.

Max. water pressure: 25 bar

Max. temperature: 80° C

### **DISINFECTION MATS**

\*Are filled with any chemical recommended for protection against diseases being carried into sensitive areas on footwear.

Can contain up to 10 litres of disinfectant (30 litres in the larger model).

The sponge in the mat absorbs the disinfectant very easily.

The protective cover makes sure that the liquid doesn't leak.

When feet come into contact with the mat, the disinfectant passes onto the footwear, without damaging them.

The mats are easily cleaned with water hose or high pressure cleaner.

### FILLING STATIONS

Automatically dilutes chemical concentrates with water at the touch of a button.

Dilution is controlled by coloured metering tips of varying size (between 0.3 and 30 %).

A fixed dilution ratio prevents wasting or overdosing chemicals.


For dispensing multiple products the units can be joined together. No need for electricity, connects easily to a water supply.

The 4 I model is used to fill bottles, the 14 I model for buckets, sprayers, auto Washers


### WALL HANGER WITH 3 CLIPS

This ingenious system keeps handles nicely organised and neatly arranged. Handles with any diameter (between 9 and 35 mm) can be held in place. Stainless Steel rail (50 cm)

with 3 clips. The materials used are appropriate for the food industry.







115.100.100 Disinfection Mat - 60 x 90 cm 115.100.101 Disinfection Mat - 180 x 90 cm





205.100.300 Dilution unit 4 I/min





### VENTURI INJECTOR Functions the same way as the dilution units

Has a free-flow outlet instead of a button.

- 3 positions:
- Dosing function (water + chemical)
- Rinsing function (water only) Self-cleaning function

(the venturi cleans itself)



# Printing

#### FANTASTIC ADVERTISEMENT

With our new tampon printer we print your logo and company details on our bottles, microfibre cloths, Rasta washing gloves. An opportunity for publicity with clients who come in contact with your products every day, that is not to be neglected. A small investment that guarantees an immediate result. Please ask for our interesting sales terms without any commitment.



### HIGH-TECH TAMPON PRINTER

Early in 2009 we invested in our first professional tampon-

The tampons are made of silicone and are used to transfer the ink from the cliché on to the object.

The big advantage of the technique is that the tampon is flexible and that it adjusts itself to the shape of the

The most popular application is the printing of our 600 ml and 1000 ml bottles.





SPRAY-MATIC 1.5 L SPRAY-MATIC 1.6 L **MICROFIBRES RASTA WASHING GLOVE** 

**96 PIECES** 96 PIECES **1000 PIECES 500 PIECES** 

NUMBER OF COLOURS
1 OR 2
1
1

De Witte has been active in the professional cleaning industry and dosing systems for over 20 years now.

All this time our mission has stayed the same:

The constant search for new cleaning and dosing techniques, especially "applicators"; and for systems and equipment which can apply cleaning agents and other chemicals in a fast, economic and efficient way.

All this, of course with carefully chosen quality products, attractive prices for resale and permanent availability for our customers.

We will continue to be at your service with the same enthusiasm and you can count on several new product launches in the near future.

(Dirk De Witte, Management)

# De Witte

ORNADO

De Witte S.A. • Potterstraat 122 • B-9170 Sint-Pauwels Tel. (+32) 03/766 46 83 • Fax (+32) 03/766 46 84 info@dewitte.biz • **www.dewitte.biz**